

LUBRAL M4T SCOOTER SAE 10W-40 JASO MB

SEMISSYNTHETIC OIL FOR 4-STROKE ENGINES

DESCRIPTION

LUBRAL M4T SCOOTER SAE 10W-40 JASO MB is a semi-synthetic oil, formulated with mineral and synthetic oils and a package of high quality additives that offer friction performance needed in scooter type motorcycles.

BENEFITS

- Sludge and deposit control.
- Wear control.
- Corrosion and rust protection.

- Stable viscosity at high temperatures due to its high viscosity index.

APPLICATIONS

LUBRAL M4T SCOOTER SAE 10W-40 JASO MB oil is recommended especially for the lubrication of scooter-type motorcycles with 4-stroke engines and continuously variable transmissions (CVT) that are separate from the engine.

It meets or exceeds the following requirements:

- JASO MB (T903:2016).

CHARACTERISTICS

TESTS	TEST METHOD	TYPICAL VALUE
SAE Grade	J300	10W-40
Appearance	Visual	Bright
Color	ASTM D1500	2.5
Density @ 20°C, g/cm ³	ASTM D4052	0.86
Kinematic Viscosity @ 40 °C, cSt	ASTM D445	102
Kinematic Viscosity @ 100 °C, cSt	ASTM D445	14
Viscosity Index	ASTM D2270	146
Flash Point COC, °C	ASTM D92	228
Pour Point, °C, max	ASTM D97	-27
Cold Cracking Simulator CSC, cP @-25°C, max	ASTM D5293	7000

Typical Characteristics are those obtained with normal tolerance of production and no constitute a specification. Variations that do not affect the yield product during the normal manufacturing and on different mixing locations are expected. Information contained in this document is held to changes without previous advisement. The availability of the products could vary depending on the location. For further information, contact venta@lubral.com