

# LUBRAL LiX Moly Syn EP 2 - 140

Printing	9/6/2021 Date of compil	ation: 9/6/2021 Version: 1	
SECT	TION 1: IDENTIFICATION		
1.1	GHS Product identifier:	LUBRAL LiX Moly Syn EP 2 - 140	
	Other means of identification	n:	
	FP-216-20		
1.2	Recommended use of the cl	emical and restrictions on use:	
	Relevant uses: Lubricant (greas	<u>2)</u>	
	Uses advised against: All uses r	ot specified in this section or in section 7.3	
1.3	Name, address, and telepho	ne number of the chemical manufacturer, importer, or other re	esponsible party:
	Lubricantes de América S.A. de Carretera a García Km 1.2 Int. 8 66350 Santa Catarina - Nuevo I Phone: 8181227400 contacto@lubral.com www.lubral.com	Parque Industrial Gonher	
1.4	Emergency phone number:	8181227400 EXT. 58535 horario de atención de 8:00 a 18:00	Con

# SECTION 2: HAZARD(S) IDENTIFICATION

# 2.1 Classification of the substance or mixture:

### 29 CFR 1910.1200:

Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200.

Acute Tox. 4: Acute toxicity on contact with skin, Category 4, H312 Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302 Acute Tox. 4: Acute inhalation toxicity, Category 4, H332 Eye Irrit. 2A: Eye irritation, Category 2A, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317 Label elements:

# 29 CFR 1910.1200:

# Warning

2.2



### Hazard statements:

Acute Tox. 4: H312 - Harmful in contact with skin. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H332 - Harmful if inhaled. Eye Irrit. 2A: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

### Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after use.

P280: Wear protective gloves/face protection/protective clothing.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of the contents/containers according to the local, state and federal regulations.

### Substances that contribute to the classification

trimethyl borate; Antimony tris[O,O-dipropyl] tris(dithiophosphate); Lithium hydroxide; 2,5-bis(octyldithio)-1,3,4-thiadiazole

# 2.3 Hazards not otherwise classified (HNOC):



# LUBRAL LiX Moly Syn EP 2 - 140

#### Printing: 9/6/2021 Date of compilation: 9/6/2021 Version: 1

# SECTION 2: HAZARD(S) IDENTIFICATION (continued)

Non-applicable

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances:

Non-applicable

#### 3.2 Mixtures:

#### Chemical description: Mixture based on hydrocarbons and additives

# **Components:**

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	121-43-7	<b>trimethyl borate</b> Acute Tox. 4: H312; Flam. Liq. 3: H226 - Warning	2.5 - <10 %
CAS:	15874-48-3	Antimony tris[O,O-dipropyl] tris(dithiophosphate) Acute Tox. 4: H302+H332; Eye Irrit. 2A: H319; Skin Irrit. 2: H315 - Warning	1 - <2.5 %
CAS:	1310-65-2	Lithium hydroxide Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Corr. 1B: H314 - Danger	1 - <2.5 %
CAS:	Non-applicable	Fatty acid derivative of 4,5-dihydro-1H-imidazole Skin Sens. 1B: H317 - Warning	<1 %
CAS:	13539-13-4	2,5-bis(octyldithio)-1,3,4-thiadiazole Acute Tox. 4: H332; Eye Irrit. 2A: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	<1 %
To ob	tain more informa	tion on the hazards of the substances consult sections 11, 12 and 16.	

# SECTION 4: FIRST-AID MEASURES

#### **Description of necessary measures:** 4.1

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

# By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

# By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product. By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

#### 4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary:

#### Non-applicable



# Printing: 9/6/2021 Date of compilation: 9/6/2021 Version: 1

# SECTION 5: FIRE-FIGHTING MEASURES

### 5.1 Suitable (and unsuitable) extinguishing media:

## Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

# Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

## 5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

# Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

#### For emergency responders:

See section 8.

## 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

# 6.3 Methods and materials for containment and cleaning up:

It is recommended:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current standards 29 CFR 1910 Occupational Safety and Health Standards. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

# 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage



	110N /:	HANDLING	GAND STORAGE (continued)			
	Stor	e in a cool, d	dry, well-ventilated location			
	B Gene	eral conditio	ns for storage			
	Avoi	d sources of	heat, radiation, static electricity an	d contact with food. Fo	or additional information see s	subsection 10.5
.3	Specifi	c end use(s	5):			
	-	-	rctions already specified it is not neo	cessary to provide any	special recommendation rega	rdina the uses of thi
	product.		, ,	, , , ,		5
EC	TION 8: I	EXPOSURE	E CONTROLS/PERSONAL PROT	ECTION		
.1		paramete				
		-	ccupational exposure limits have to	be monitored in the w	vorkplace:	
			Limits for Air Contaminants (29 CFF			
	03.031		Identification	(1910.1000).	Occupational e	xposure limits
	Antimo	ony tris[0,0-dipro	opyl] tris(dithiophosphate)		8-hour TWA PEL	0.5 mg/m <sup>3</sup>
	CAS: 1	5874-48-3			Ceiling Values - TWA PEL	
	US. ACG	IH Threshold	d Limit Values:			
			Identification		Occupational e	· · · · · · · · · · · · · · · · · · ·
		ony tris[0,0-dipro 5874-48-3	opyl] tris(dithiophosphate)		TLV-TWA TLV-STEL	0.5 mg/m <sup>3</sup>
	CALIFOR	NIA- TABLE	AC-1 PERMISSIBLE EXPOSURE LIM	IITS FOR CHEMICAL CO		
	A 11		Identification		Occupational e	•
		5874-48-3	opyl] tris(dithiophosphate)		STEL	0.5 mg/m <sup>3</sup>
	Nuissus	a alizada. Tasla a	lable dust 10 mar/m2 // Descimable			
•			lable dust 10 mg/m3 // Respirable o	Just 4 mg/ms		
.2		-	eering controls:			
			tion measures, such as personal pr			
	Prote the r infor appli asse	ection Equip manufacture mation on c ication, to p	e measure it is recommended to use ment (storage, use, cleaning, maint r. For more information see subsect lothing performance must be combi rovide the best protection to the wo etermine the risks for exposure to c 0.132.	enance, class of protection 7.1. All information ined with professional jurker. All chemical protection of the protectio	ction,) consult the informati contained herein is a recomr judgment, and a clear unders ective clothing use must be ba	on leaflet provided b nendation, the tanding of the clothin ased on a hazard
	B Resp	piratory prot	ection			
		Pictogram	PPE		Remarks	
	re	Mandatory spiratory tract protection	Filter mask for gases and vapours	the contaminar	e is a taste or smell of the contamin nt comes with warnings it is recomm spirator in accordance with manufac OSHA standard 1910.134 (29C	nended to use isolation cturer 's use limitations a
	C Spec		n for the hands			
	0. 0000	•			Dementer	
		Pictogram	PPE		Remarks	

D.- Ocular and facial protection



ting: 9/6/2021		p-	lation: 9/6/2021 Vers			
ECTION 8: EX	POSURE	CONTRO	DLS/PERSONAL PROTEC	FION (cont	inued)	
Pic	ctogram		PPE			Remarks
	datory face otection		Face shield		is a risk of splashing. Us	r according to the manufacturer 's instruction se this PPE in accordance with manufacturer SHA standard 1910.133 (29CFR)
E Bodily	protection	-				
Pic	ctogram		PPE			Remarks
	ory complete protection	Disposa	ble clothing for protection against chemical risks	For profe		periodically according to the manufacturer's nstructions.
	datory foot otection	Safety foot	wear for protection against chemic risk			oration. Use foot protection in accordance wit s and OSHA standard 1910.136 (29CFR)
F Additio	nal emerge	ency meas	sures			
Em	nergency mea	asure	Standards		Emergency measure	Standards
EI	mergency sho	ower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:;	2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
spillage of <b>National</b> V.O.C.	both the p <b>volatile o</b> (Subpart C	product an <b>rganic co</b> C - Consun	d its container. For additional <b>pmpound emission standa</b> ner): 0 % weight	information rds (40 CFF	see subsection 7.1.	ommended to avoid environmental D
spillage of National v V.O.C. V.O.C.	both the p volatile or (Subpart C (Coatings)	oroduct an r <b>ganic co</b> C - Consun at 68 ºF:	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03	information rds (40 CFF	see subsection 7.1.	
spillage of National V.O.C. V.O.C. ECTION 9: PH	both the p volatile of (Subpart C (Coatings)	oroduct an rganic co C - Consun at 68 °F: AND CHE	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES	information rds (40 CFF g/L)	see subsection 7.1.	
spillage of National V.O.C. V.O.C. ECTION 9: PH Informati For complet	both the p volatile of (Subpart C (Coatings) IYSICAL / ion on base ete informa	aroduct an rganic co C - Consun at 68 °F: AND CHE sic physic	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03	information rds (40 CFF g/L)	see subsection 7.1.	
spillage of National v V.O.C. V.O.C. ECTION 9: PH 1.1 Information	both the p volatile of (Subpart C (Coatings) HYSICAL A ion on base ete informa ince:	AND CHE sic physic	nity legislation for the protect d its container. For additional ompound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion	information rds (40 CFF g/L) es:	see subsection 7.1.	
spillage of National V.O.C. V.O.C. ECTION 9: PH 1 Informati For complet Appearan	both the p volatile of (Subpart C (Coatings) VSICAL / ion on base ete informa ace: ate at 68 °	AND CHE sic physic	nity legislation for the protect d its container. For additional <b>impound emission standa</b> ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol	information rds (40 CFF g/L) es:	see subsection 7.1.	
spillage of National V.O.C. V.O.C. SECTION 9: PH D.1 Informati For comple Appearan Physical sta	both the p volatile of (Subpart C (Coatings) VSICAL / ion on base ete informa ace: ate at 68 °	AND CHE sic physic	nity legislation for the protect d its container. For additional <b>impound emission standa</b> ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol	information rds (40 CFF g/L) es: id t available	see subsection 7.1.	
spillage of National V.O.C. V.O.C. ECTION 9: PH 1 Informati For comple Appearant Physical sta Appearant	both the p volatile of (Subpart C (Coatings) VSICAL / ion on base ete informa ace: ate at 68 °	AND CHE sic physic	nity legislation for the protect d its container. For additional ompound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol No	information rds (40 CFF g/L) es: id t available	see subsection 7.1.	
spillage of National V.O.C. V.O.C. SECTION 9: PH D.1 Informati For comple Appearant Physical sta Appearance Color:	both the p volatile of (Subpart C (Coatings) VSICAL / ion on base ete informa ice: ate at 68 ° e:	AND CHE sic physic	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol No Gree No	information rds (40 CFF g/L) es: id t available	see subsection 7.1. R Part 59):	
spillage of National V V.O.C. V.O.C. ECTION 9: PH D.1 Informati For complet Appearant Physical sta Appearant Color: Odor:	both the p volatile of (Subpart C (Coatings) itySICAL A ion on base ete informa ace: ate at 68 ° e: eshold:	AND CHE sic physic	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol No Gree No	information rds (40 CFF g/L) es: id t available y t available	see subsection 7.1. R Part 59):	
spillage of National V V.O.C. V.O.C. ECTION 9: PH D.1 Informati For comple Appearant Physical sta Appearant Color: Odor: Odour thre Volatility: Boiling poin	both the p volatile of (Subpart C (Coatings) (YSICAL / ion on base ete informa ace: ate at 68 ° re: eshold: : nt at atmos	spheric pr	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol No Gree No No Sol	information rds (40 CFF g/L) es: id t available ey t available m-applicable	<pre>see subsection 7.1. Part 59): * * *</pre>	
spillage of National V V.O.C. V.O.C. ECTION 9: PH I Informati For comple Appearanc Color: Odor: Odor: Odor thre Volatility: Boiling poin Vapour pre	both the p volatile of (Subpart C (Coatings) IYSICAL A ion on base ete informa ace: ate at 68 ° re: eshold: : nt at atmos essure at 6	spheric pr 8 °F:	nity legislation for the protect d its container. For additional ompound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES Cal and chemical propertion he product datasheet. Sol No Gree No No No	information rds (40 CFF g/L) es: id t available t available n-applicable n-applicable	<pre>see subsection 7.1. Part 59): * * * *</pre>	
spillage of National V V.O.C. V.O.C. V.O.C. SECTION 9: PH D.1 Informati For complet Appearant Physical sta Appearant Color: Odor: Odor: Odour three Volatility: Boiling poin Vapour pres	both the p volatile of (Subpart C (Coatings) VSICAL / ion on base ete informa ace: ate at 68 ° e: eshold: : nt at atmos essure at 6 essure at 1	spheric pr 8 °F: 2 2 °F: 2 2 °F:	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol No Gree No Sol No Sol No Sol No Sol No	information rds (40 CFF g/L) es: id t available t available n-applicable n-applicable n-applicable	<pre>see subsection 7.1. Part 59): * * * * * *</pre>	
spillage of National V V.O.C. V.O.C. ECTION 9: PH I Informati For comple Appearant Physical sta Appearant Color: Odor: Odor: Odor: Odour thre Volatility: Boiling poin Vapour pre Evaporatio	both the p volatile of (Subpart C (Coatings) IYSICAL A ion on base ete informa ace: ate at 68 ° re: eshold: : nt at atmos essure at 6 essure at 1 ion rate at 6	spheric pr 8 oF: 22 oF: 8 oF: 22 oF: 8 oF:	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol No Gree No Sol No Sol No Sol No Sol No	information rds (40 CFF g/L) es: id t available t available n-applicable n-applicable	<pre>see subsection 7.1. Part 59): * * * * * *</pre>	
spillage of National V V.O.C. V.O.C. ECTION 9: PH I.1 Informati For comple Appearanc Color: Odor: Odor: Odor: Odor three Volatility: Boiling poin Vapour pre Evaporatio Product d	both the p volatile of (Subpart C (Coatings) IYSICAL A ion on base ete informa ace: ate at 68 ° re: eshold: : nt at atmos essure at 6 essure at 6 essure at 6 lessure at 6 lessure at 6	spheric pr 8 oF: 22 oF: 8 oF: 22 oF: 8 oF:	nity legislation for the protect d its container. For additional ompound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol No Gree No No No No No No	information rds (40 CFF g/L) es: id t available t available n-applicable n-applicable n-applicable n-applicable	<pre>see subsection 7.1. <b>R Part 59):</b> * * * * * * * * *</pre>	
spillage of National V V.O.C. V.O.C. ECTION 9: PH D.1 Informati For complet Appearant Physical sta Appearant Color: Odor: Odor: Odor: Odour three Volatility: Boiling poin Vapour pree Evaporatio Product d Density at	both the p volatile of (Subpart C (Coatings) (YSICAL / ion on base ete informa ace: ate at 68 ° re: eshold: : nt at atmose essure at 6 essure at 1 on rate at 6 lescription 68 °F:	spheric pr 8 oF: 2 oF: 2 oF: 2 oF: 8 oF: 2 oF: 8 oF: 8 oF: 8 oF: 7 oF:	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol No Gree No No No No No No No	information rds (40 CFF g/L) es: id t available t available m-applicable m-applicable m-applicable m-applicable	<pre>see subsection 7.1. <b>R Part 59):</b> * * * * * * * * * * *</pre>	
spillage of National V V.O.C. V.O.C. ECTION 9: PH I.1 Informati For comple Appearanc Color: Odor: Odor: Odor: Odor three Volatility: Boiling poin Vapour pre Evaporatio Product d	both the p volatile of (Subpart C (Coatings) (YSICAL A ion on base ete informa ace: ate at 68 ° re: eshold: : int at atmos essure at 6 essure at 6 essure at 1 in rate at 6 lescription 68 °F: ensity at 68	spheric pr 8 °F: 22 °F: 8 °F: 33 °F: 33 °F:	nity legislation for the protect d its container. For additional mpound emission standa ner): 0 % weight 0.03 kg/m <sup>3</sup> (0.03 EMICAL PROPERTIES cal and chemical propertion he product datasheet. Sol No Gree No No No No No No No No	information rds (40 CFF g/L) es: id t available t available n-applicable n-applicable n-applicable n-applicable	<pre>see subsection 7.1. <b>R Part 59):</b> * * * * * * * * * * * * * * * *</pre>	



Printing	9/6/2021	Date of compilation: 9/6/2021	Version: 1
SECT	rion 9: Phys	ICAL AND CHEMICAL PROPERTIE	ES (continued)
	Kinematic visc	osity at 68 °F:	Non-applicable *
	Kinematic visc	osity at 104 °F:	140 mm <sup>2</sup> /s (ASTM D-445)
	Concentration	:	Non-applicable *
	pH:		Non-applicable *
	Vapour density	y at 68 °F:	Non-applicable *
	Partition coeffi	icient n-octanol/water 68 °F:	Non-applicable *
	Solubility in wa	ater at 68 °F:	Non-applicable *
	Solubility prop	erties:	Non-applicable *
	Decomposition	n temperature:	Non-applicable *
	Melting point/f	freezing point:	Non-applicable *
	Flammability	/:	
	Flash Point:		Non-applicable
	Flammability (	solid, gas):	Non-applicable *
	Autoignition te	emperature:	Non-applicable *
	Lower flamma	bility limit:	Non-applicable *
	Upper flamma	bility limit:	Non-applicable *
	Explosive:		
	Lower explosiv	ve limit:	Non-applicable *
	Upper explosiv	ve limit:	Non-applicable *
	Particle char	acteristics:	
	Median equiva	lent diameter:	Non-applicable *
9.2	Other inform	lation:	
	Information	with regard to physical hazard cla	sses:
	Explosive prop	erties:	Non-applicable *
	Oxidising prop	erties:	Non-applicable *
	Corrosive to m	netals:	Non-applicable *
	Heat of combu	ustion:	Non-applicable *
	components:	percentage (by mass) of flammable	Non-applicable *
	-	characteristics:	
	Surface tensio		Non-applicable *
	Refraction inde		Non-applicable *
	*Not relevant due	e to the nature of the product, not providing infe	ormation property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

## **10.2** Chemical stability:

Chemically stable under the conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

- CONTINUED ON NEXT PAGE -



#### Printing: 9/6/2021 Date of compilation: 9/6/2021 Version: 1

SECT	ION 10: STABILITY ANI	D REACTIVITY (contin	ued)		
10.5	Incompatible materials	:			
	Acids	Water	Oxidising materials	Combustible materials	Others
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases
10.6	Hazardous decompositi	on products:			

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A- Ingestion (acute effect):

Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomitina.

Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity : Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

Corrosivity/Irritability: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - IARC: Distillates (petroleum), solvent-dewaxed heavy paraffinic, < 3% DMSO (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:

Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
- it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

# Other information:



# LUBRAL LiX Moly Syn EP 2 - 140

Version: 1
V

#### SECTION 11: TOXICOLOGICAL INFORMATION (continued) Non-applicable Specific toxicology information on the substances: Identification Acute toxicity Genus Non-applicable LD50 oral trimethyl borate CAS: 121-43-7 LD50 dermal 1100 mg/kg (ATEi) LC50 inhalation Non-applicable LD50 oral Lithium hydroxide 491 mg/kg Rat LD50 dermal CAS: 1310-65-2 Non-applicable LC50 inhalation Non-applicable LD50 oral 500 mg/kg Rat Antimony tris[O,O-dipropyl] tris(dithiophosphate) CAS: 15874-48-3 LD50 dermal Non-applicable LC50 inhalation 1.5 mg/L (4 h) (ATEi)

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Contains phosphates. Excessive discharge may cause eutrophication.

# 12.1 Ecotoxicity (aquatic and terrestrial, where available):

## Acute toxicity:

Identification		Concentration	Species	Genus
Lithium hydroxide	LC50	109 mg/L (96 h)	Danio rerio	Fish
CAS: 1310-65-2	EC50	Non-applicable		
	EC50	Non-applicable		
Fatty acid derivative of 4,5-dihydro-1H-imidazole	LC50	Non-applicable		
CAS: Non-applicable	EC50	Non-applicable		
	EC50	66 mg/L (72 h)	N/A	Algae

**Chronic toxicity:** 

_	avalatawaa awal dagwadahilitaw				*
С	CAS: 1310-65-2	NOEC	4 mg/L	Daphnia magna	Crustacean
L	Lithium hydroxide	NOEC	17.35 mg/L	Danio rerio	Fish
	Identification		Concentration	Species	Genus

# 12.2 Persistence and degradability:



## Printing: 9/6/2021 Date of compilation: 9/6/2021 Version: 1

	Identification	De	egradability	Biode	egradability
	Fatty acid derivative of 4,5-dihydro-1H-imidazole	BOD5	Non-applicable	Concentration	Non-applicable
	CAS: Non-applicable	COD	Non-applicable	Period	28 days
		BOD5/COD	Non-applicable	% Biodegradable	4.6 %
12.3	Bioaccumulative potential:				
	Not available				
12.4					
12.4					
12.4 12.5	Mobility in soil: Not available				
	Mobility in soil: Not available				
	Mobility in soil: Not available Results of PBT and vPvB assessment: Non-applicable				

# SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Disposal methods:

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See epigraph 6.2.

## Regulations related to waste management:

Legislation related to waste management:

40 CFR Part 261- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

# SECTION 15: REGULATORY INFORMATION

### **15.1** Safety, health and environmental regulations specific for the product in question:

SARA Title III - Toxic Chemical Release Inventory Reporting (Section 313): Antimony tris[O,O-dipropyl] tris(dithiophosphate) California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986): Non-applicable The Toxic Substances Control Act (TSCA) : trimethyl borate ; Antimony tris[O,O-dipropyl] tris(dithiophosphate) ; Lithium hydroxide ; 2,5-bis(octyldithio)-1,3,4-thiadiazole Massachusetts RTK - Substance List: trimethyl borate ; Antimony tris[O,O-dipropyl] tris(dithiophosphate) New Jersey Worker and Community Right-to-Know Act: trimethyl borate ; Antimony tris[O,O-dipropyl] tris(dithiophosphate) New York RTK - Substance list: trimethyl borate ; Antimony tris[O,O-dipropyl] tris(dithiophosphate) Pennsylvania Worker and Community Right-to-Know Law: Antimony tris[O,O-dipropyl] tris(dithiophosphate) CANADA-Domestic Substances List (DSL): trimethyl borate ; Antimony tris[O,O-dipropyl] tris(dithiophosphate) ; Lithium hydroxide ; 2,5-bis(octyldithio)-1,3,4-thiadiazole CANADA-Non-Domestic Substances List (NDSL): Non-applicable NTP (National Toxicology Program): Non-applicable Minnesota - Hazardous substances ERTK: trimethyl borate ; Antimony tris[O,O-dipropyl] tris(dithiophosphate) ; Lithium hydroxide Rhode Island - Hazardous substances (29 CFR 1910.1001-1096): Non-applicable

Hazardous Air Pollutants (Clean Air Act): Antimony tris[O,O-dipropyl] tris(dithiophosphate)

Hazardous substances release notification under CERCLA sections 102-103 (40 CFR Part 302): Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

#### Other legislation:



# LUBRAL LiX Moly Syn EP 2 - 140

Printing: 9/6/2021 Date of compilation: 9/6/2021 Version: 1

# SECTION 15: REGULATORY INFORMATION (continued)

Take into consideration other applicable federal, state, and local laws and local regulations.

# SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

## Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H312: Harmful in contact with skin.

H302: Harmful if swallowed.

H332: Harmful if inhaled.

H319: Causes serious eye irritation.

## Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

# 29 CFR 1910.1200:

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.

Acute Tox. 4: H312 - Harmful in contact with skin.

Acute Tox. 4: H332 - Harmful if inhaled.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2A: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

#### Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

CL50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

IARC: International Agency for Research on Cancer

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).